

AV Presentation Scaler/Switcher for
**Exceptional Multi-Signal
Processing of HDMI™, VGA,
Component & Composite Inputs**




Conference Centers • Higher Education • AV Carts

DXP-62 Presentation Scaler/Switcher Produces Superior Resolution Output

The Aurora DXP-62 Presentation Scaler/Switcher, featuring HDBaseT capabilities, is designed for multi-signal processing of HDMI™, VGA, Component (YPbPr) and Composite inputs. It scales up to 1900x1200 HD resolution output.

By accepting up to 4 HDMI inputs and 2 VGA/YPbPr/Composite inputs and scaling to on-board HDMI and HDBaseT simultaneous outputs, the DXP-62 offers a video image quality that sets the industry standard.



The DXP-62 takes multiple AV inputs, and Scaler, Switcher and Presentation data, to a video display. The video images or data may then be carried to a display via HDMI cabling, or by using HDBaseT technology.

Kit Options

The DXP-62 is available by itself, or with two sets of accessories. Choices are:

- > DXP-62 – Scaler/Switcher
- > DXP-62K-1 – Scaler/Switcher + DXE-CAT-RXT (HDBaseT Lite Receiving Unit Included)
- > DXP-62-K-3 – Scaler/Switcher + DXE-CAT-RX3L-A (HDBaseT Audio De-embed + 8Mb Storage RX Unit included)


The Center of Quality AV Systems

The DXP-62 Scaler/Switcher produces outstanding transmissions of video and voice data. Its flexibility makes it ideal for conference centers, classrooms and AV carts.

Key Features & Benefits

The DXP-62 has many characteristics and advantages that make it the best scaler/switcher of its kind. They include:

- > 4 HDMI Inputs, 2 VGA/YPbPr/Composite Inputs & 4 Analog Audio Stereo Inputs
- > 1 Microphone Input & 1 HDMI Output
- > 1 HDBaseT Output (230 ft. (70m)), CAT 5E/6
- > Power over HDBaseT (PoH), IR & RS-232 Over HDBaseT
- > Scales Input Up to 1080p, Auto Switching
- > Front Panel Button Control, Front Panel LCD Display OSD
- > RS-232 & IR Control (LAN/WEB when ordered as DXP-62K-3) USB for Firmware Updating
- > Small Format for Mounting Under Table



Cabling Options

HDMI Cables	
CN-HD700-XX - Locking HDMI Assemblies w/Ethernet	
Network Cables (HDBaseT Certified)	
4246F - Category 6 F/UTP CMR	254246F - Category 6 F/UTP CMP
4246AF - Category 6A F/UTP CMR	254246AF - Category 6A F/UTP CMP
VGA Cables	
5CRGB - 5 Coax 25AWG RGBHV CMR	255CRGB - 5 Coax 25AWG RGBHV CMP
Microphone / Line Level Cables	
454 - 22/2 Shielded Low Cap. CMR	D25454 - 22/2 Shielded Low Cap. CMP
Speaker Cables	
225 - 16/2 Unshielded CMR	25225B - 16/2 Unshielded CMP
RS-232 Cables	
D2402 - 2pr. 24AWG Shielded CMR	D252402 - 2pr. 24AWG Shielded CMP

Your Best Source for AV Presentation Scalers/Switchers & More

West Penn Wire (WPW) designs and manufactures wires, cables, harnesses and related products for small, mid-size and Fortune 500 companies worldwide, as well as for audio, video, security and networking applications in these environments:

- > Corporate
- > Higher Education
- > Entertainment
- > Hospitality
- > Government
- > Houses of Worship
- > Healthcare
- > Retail

The company's engineering and manufacturing excellence enables customers to obtain solutions that meet the most demanding requirements for audio, video, security and networking applications.

To help meet customers' wire and cabling needs, WPW also offers value-added services, including:

- > Testing for Continuity & Workmanship
- > Custom Labeling (barcodes, logos, private labeling)
- > Special Packaging
- > Custom Kitting

With distribution centers located strategically throughout the country, WPW products can reach customers' places of business or jobsites quickly. WPW was established in 1971 and is based in Washington, PA, near Pittsburgh. It is part of the Belden group of companies (NYSE:BDC).



800.245.4964 | sales@westpennwire.com | www.westpennwire.com