


# Technical Data Sheet

## RG59/U Type SDI Coaxial Cable



2833 West Chestnut Street  
 Washington, PA 15301  
 Toll Free: (800) 245-4964  
 Fax: (724) 222-6420  
 www.westpenn-wpw.com

<b>PART NUMBER:</b>	<b>25819</b>
<b>DESCRIPTION:</b>	RG59/U – 1 Conductor 20AWG Solid, 100% Aluminum Foil + 95% Tinned copper braid and an overall Flex Plenum Jacket.
<b>NEC RATING:</b>	CMP
<b>APPROVALS:</b>	(UL) C(UL) Listed or c(ETL)us Listed
<b>APPLICATION:</b>	Indoor for: Pro-Video, SDI, Digital Audio, CCTV and CATV

### Construction Parameters:

Conductor	20 AWG Bare Copper
Stranding	Solid
Insulation Material	Foam FEP – Teflon
Insulation Thickness	.138" Nom.
Number of Conductors	1 Center Conductor
Shield	100% Al. Foil + 95% Tinned Copper Braid
Jacket Material	Flex Plenum PVC
Overall Cable Diameter	0.207" Nom.
Approximate Cable Weight	18 Lbs/1M' Nom.
Flame Rating	UL NFPA62

### Electrical & Environmental Properties:

		<u>Mhz</u>	<u>db/100ft</u>
Temperature Rating	-20deg C to 60deg C	1	.28
Max. Capacitance Between Conductors @ 1 KHz	16.2 pf/ft Nom.	10	1.03
Velocity of Propagation	82% Nom.	71.5	1.93
Impedance	75 ohms Nom.	135	2.83
DC Resistance per Conductor @ 20deg C	10.1 Ohms/1M' Nom.	360	5.24
Jacket Color	Black, Red, Green, Blue, White, Yellow, Violet, Brown, Orange	720	7.29
		1000	9.40
RoHS Compliant	Yes	2250	17.48
		3000	21.60

### Mechanical Properties:

Max. Recommended Pull Tension	41 lbs.
Min. Bend Radius (Install)	2.0"

### Connectors and Accessories

75 ohm BNC Crimp	CN-BM73-30	Crimp Tool: TL-104	Strip Tool: TL-121
1 Pc. Compression BNC 75 ohm	CN-FS59BNCPL4	Comp. Tool: TL-SNSA	Strip Tool: TL-CSST
Compression RCA	CN-FS59RCAPL4	Comp. Tool: TL-SNSA	Strip Tool: TL-CSST

Specification Issue Date: 7/06

This document is the property of West Penn Wire. The information contained herein is considered Proprietary and not to be reproduced by any means Without written consent of West Penn Wire

Standard Lengths are 1000ft.  
 The Jacket is sequentially footmarked.  
 The information presented here is, to the best of our knowledge, is true and accurate. However, since conditions of use are beyond our control, all recommendations or suggestions are presented without guarantee or responsibility on our part. We disclaim all liability in connection with the use of information contained herein or otherwise.

