

Technical Data Sheet

RG6/U CCTV + Power Coaxial Cable



2833 West Chestnut Street
 Washington, PA 15301
 Toll Free: (800) 245-4964
 Fax: (724) 222-6420
 www.westpenn-cdt.com

PART NUMBER:	AQC2806
DESCRIPTION:	RG6/U 18AWG Bare Copper, 95% Braid + 2 Conductor 16AWG – Water blocking tapes Sunlight Resistant PVC Jacket - Siamese Construction
NEC RATING:	CM
APPROVALS:	(UL) or (ETL)us Listed
APPLICATION:	CCTV Indoor/Outdoor Baseband video

Construction Parameters: Coaxial Cable

Conductor	18 AWG Bare Copper RG6/U
Stranding	Solid
Insulation Material	Gas Injected Polyethylene (PE)
Insulation Thickness	0.180" Nom.
Shield	95 % Bare Copper Braid
Jacket Material	Sunlight Resistant PVC

Nom. Attenuation	
Mhz	db/100ft
1	.29
10	.68
50	1.80
150	3.0
200	3.54
400	4.71
1000	7.80

Electrical & Environmental Properties: Coaxial Cable

Temperature Rating	-20deg C to 60deg C
Operating Voltage	300 V RMS
Max. Capacitance Between Conductors @ 1 KHz	16.2pf/ft Nom.
Nom. Velocity of Propagation	82%

Construction Parameters: Power Pair

Conductor	16 AWG Bare Copper
Stranding	Stranded
Insulation Material	PVC
Insulation Thickness	0.008" Nom.
Number of Conductors	2
Shield	None
Drain	None
Jacket Material	PVC

Electrical & Environmental Properties: Power Pair

Temperature Rating	-20°C To +60°C
Operating Voltage	300 V RMS
Max. Capacitance Between Conductors @ 1 KHz	30 pf/ft Nom.
DC Resistance per Conductor @ 20deg C	4.4 Ohms/1M' Nom.
Insulation Colors	Black ,Red

Construction Parameters: Overall Cable

Jacket Material	PVC
Overall Cable Diameter	.280"x.580"
Jacket Colors	Black
Flame Rating	UL1685
RoHS Compliant	Yes

Mechanical Properties:

Max. Recommended Pull Tension
Min. Bend Radius (Install)

-- Lbs.
5.80

Connectors:

75ohm BNC Crimp	CN-BM73-5
Compression BNC	CN-CSBNC-6

Specification Issue Date: 7/06

This document is the property of West Penn Wire.
The information contained herein is considered
Proprietary and not to be reproduced by any means
Without written consent of West Penn Wire

Standard Lengths are 1000ft.
The Jacket is sequentially footmarked.
The information presented here is, to the best of our
knowledge, is true and accurate. However, since
conditions of use are beyond our control, all
recommendations or suggestions are presented
without guarantee or responsibility on our part. We
disclaim all liability in connection with the use of
information contained herein or otherwise.